



A house of Medical Devices
Dr. Surgical

An ISO 9001 : 2000 Company
&
CE Certified Company



Dr. Surgical - A HOUSE OF MEDICAL DEVICES

About us

Dr. Surgical highly reputed and well-establish manufacturer and supplier of medical devices disposable products comprising , Angio Kit , P.T.C.A Kit , Custom Pack , Manifolds , Control Syringe , Y-Adaptor , Pressure Line , Extension Line , Dialysis Catheter , Guide Wire , DPT Kit , Connectors etc . Our products have unbeatable quality .

We have modern manufacturing setup to develop high quality medical disposables. Our company adopted class 10,000 Clean Room for assembly process to maintain the quality and compete with the global standards .

Dr. Surgical complies International standards of ISO 9001:2000 and ISO 13485 & CE 0476.



For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



DISPOSABLE PRESSURE TRANSDUCER(D.P.T)



Dr. Surgical



CE 0476

Application

Transducer provides consistent and accurate readings during invasive blood monitoring for central venous pressure, pulmonary arterial pressure, atria pressure etc, it is helpful for clinician in diagnosis, curing and prognosis.

Features

- Consistent and accurate readings during monitoring.
- Components that simplify setup.
- Transducer can easily be mounted on either the patients, bed or IV pole.
- Fully integrated flow- thru component design simplifies filling and debubbling.
- Superior fluid path visualization.
- With a variety of interface cables available, can be connected to most types of monitors.
- 3cc or 30cc per hour flow rates.

SPECIFICATIONS:

SENSOR TECHNOLOGY

- Fully silicon pressure sensor.
- AAMI BPS22/23 compliant

CONFIGURATION

- 3cc or 30cc per hour available.

SUPPLY VOLTAGE

- 2 to 10VDC

STERILIZATION

- ETO

KEY PARAMETERS

- +/-20mmHg Offset.
- -50~300mmu/v/mmHg sensitivity.
- 168 hours operating life.

Order Information

Ref Number	Description
DR-DPT-S kit	Disposable Pressure Transducer single kit.
DR-DPT-D Kit	Disposable Pressure Transducer double kit.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



EXTENSION LINE WITH 3 WAY STOP COCK



CE 0476

Features

- Minimizes the movement during the procedure.
- Extends the path way between infusion site and the source of infusion .
- Insert the extra fluid from the side port .
- The clarity of tubes allows easy air detection and debubbling.
- Tube are designed and tested for maximum operating.
- Safety up to pressure limitation.
- Fitted with male luer lock at one end for safe secure connection and the 3way stop cock at other end.
- Smooth internal surface.
- Tube made from medical grade P.V.C.
- Length-10, 25, 50, 100, 150, 200 cm.

Order Information

Ref Number	Description
DR-EXT-10 cm	Extension Line with three way stop cock .
DR-EXT-25 cm	Extension Line with three way stop cock .
DR-EXT-50 cm	Extension Line with three way stop cock .
DR-EXT-100 cm	Extension Line with three way stop cock .
DR-EXT-150 cm	Extension Line with three way stop cock .
DR-EXT-200 cm	Extension Line with three way stop cock .

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



FEMORAL CATHETER



Dr. Surgical



CE 0476

Features

- Tested for toxicity and hemocompatibility, and become softer in body temperature.
- Soft tip for easier insertion.


Order Information

Ref Number	Description
DR-FCS	Femoral Catheter Straight tip.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in





CE 0476

Features

- Stainless needle is bevelled, back cut and siliconized for Smooth and painless venipuncture.
- Each fistula needle is provided with a threaded stopper.
- Products are individually tested (100% test) for leak- tightness and resistance to pressure .
- Secure connection through standardized components.
- Roughened wings allow secure grip and control along with comfortable needle insertion .

Order Information

Ref Number	Description
DR-FN14 FG	Fistula Needle length 150 mm &300 mm.
DR-FN15 FG	Fistula Needle length 150 mm &300 mm.
DR-FN16 FG	Fistula Needle length 150 mm &300 mm.
DR-FN17 FG	Fistula Needle length 150 mm &300 mm.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



CE 0476

Features

- 3 cm flexible tip makes tip easy to deflect.
- Elastic and shape-resistance distal core and lubricious coating provide great accessibility and excellent steerability.
- Supportive proximal shaft increase pushability.
- Below All sizes are available in Hydrophilic coated .

Order Information

Ref Number	Description
DR-0.035 ?x70cm J Tip	3cm flexible J Tip, Un-Coated wire.
DR-0.035 ?x70cm S Tip	3cm flexible S Tip, Un-Coated wire.
DR-0.032 ?x150cm J Tip	3cm flexible J tip, PTFE coated.
DR-0.032 ?x150cm S Tip	3cm flexible S tip, PTFE coated.
DR-0.025 ?x150cm J Tip	3cm flexible J tip, PTFE coated.
DR-0.025 ?x150cm S Tip	3cm flexible S tip, PTFE coated.
DR-0.018 ?x150cm J Tip	3cm flexible J tip, PTFE coated.
DR-0.018 ?x150cm S Tip	3cm flexible S tip, PTFE coated.
DR-0.035 ?x150cm J Tip	3cm flexible J tip, PTFE coated, 0.035?(0.89mm) 150cm
DR-0.035 ?x150cm S Tip	3cm flexible Straight tip, PTFE coated, 0.035?(0.89mm)150cm
DR-0.035 ?x260cm J Tip	3cm flexible J Tip,PTFE coated, 0.035?(0.89mm) 260mm

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
 Mobile : +91-9899714981,9811814981, Telefax : +91-11-28525254
 Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
 E-mail : info@drsurgical.co.in
 dr_surgical@yahoo.co.in
 Website : www.drsurgical.co.in

HEMO DIALYSIS CATHETER



CE 0476

Features

- Tested for toxicity and hemocompatibility, and become softer in body temperature.
- Specially - made injection ports helps to avoid infection.
- Available single , double, triple lumen for infant and adult.
- Packing compound-packing tray and tyvek pouch.
- Soft tip for easier insertion .
- Pre- Curved shaft automatically positions clamping extensions away from the patients head for comfort and ease of maintenance.


Order Information

Ref Number	Description
DR-SLC Single	Single Lumen Catheter .
DR-DLC Double	Double Lumen Catheter .
DR-TLC Triple	Triple Lumen Catheter .
DR- DLK Double	Double Lumen Kit.
DR- TLK Triple	Triple Lumen Kit .

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in





CE 0476

Features


- Smooth- turning handles.
- Large internal lumen (2.3mm diameter) for high flow rates.
- All items are sterile.
- 1050 psi pressure rating.
- Right rotating male luer provides convenient and fast connection.
- Lubricated and 360 °C & 180 °C rotating handles enhance handle rotatability.

Order Information

Ref Number	Description
DR-3M/R-ON	High Pressure Manifold 3 ports, Halfbody, On Handle.
DR-2M/R-ON	High Pressure Manifold 2 ports, Halfbody, On Handle.
DR-3M/R-OFF	High Pressure Manifold 3 ports, Halfbody, Off Handle.
DR-2M/R-OFF	High Pressure Manifold 2 ports, Halfbody, Off Handle.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



CE 0476

Features


- Large inner lumens.
- Smooth rotation.
- Sterile / Non sterile.
- Available in both High pressure and standard pressure capacity .
- High pressure stop cock - 1000 psi .
- Standard Stop Cock .

Order Information

Ref Number	Description
DR-TSC- S	Three way stop cock standard .
DR-HPS	High pressure Stop Cock 1000 psi.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



CE 0476

Features

- Spiral design ensures precise pressure.
- Over pressure protective device provides safer pressure control.
- Release handle makes instant and easy inflation and deflation.
- Is perfect for a wide array of applications such as balloon catheterization , stent deployment and fluid delivery.
- Broad application- cardiology , peripheral, Radiology, Urology, Gastrointestinal, Neurology, orthopedics biliary, pulmonary, ENT etc.
- The clear barrel provides medical staff with a precise view of the content and volume allowing the user to observe the purging of the bubbles.
Sizes – 10cc, 20cc, 25 cc, 40cc etc.

Order Information

Ref Number	Description
DR-ID-10cc	Inflation Device up to 15 ATM (Standard) .
DR-ID-20cc	Inflation Device up to 30 ATM (Standard) .
DR-ID-25cc	Inflation Device low profile up to 30 ATM .
DR-ID-PP	Inflation Device up to 30 ATM PUSH PULL .
DR-ID-40cc	Inflation Device low profile up to 40 ATM .

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
 Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
 Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
 E-mail : info@drsurgical.co.in
 dr_surgical@yahoo.co.in
 Website : www.drsurgical.co.in



CE 0476

Features

- Dr. Surgical P.T.C.A Kits are designed to enhance an angiography and Angioplasty Cath Lab's efficiency by meeting the Cath Lab's specifications in one complete sterile package .
- These kits are offered in standard versions, but they also can be customized to your individual customer's needs .
- Benefits of our P.T.C.A Kits .
 - 1. Reduce setup times and increase the number of procedures they can perform .
 - 2. Reduce total procedure cost .
 - 3. Reduce waste in packaging and save valuable space .
 - 4. Reduce inventory .

Order Information

Ref Number	Description
DR-SPK-01	Standard P.T.C.A. Kit .
DR-SAK-01	Standard Angio Kit .

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in

PRESSURE MONITORING LINE



CE 0476

Features

- Made from non-toxic medical grade PVC material .
- Minimizes the movements.
- Extends the pathway between infusion site and the source of infusion.
- Ext. Dia 2.89 mm , Int. Dia 1.25 to 1.5 mm .
- Customize sizes are available .
- Pressure 500 psi to 700 psi .
- Length-10,25,50,100,150,200,300 cm.

Order Information


Ref Number	Description
DR-50-PMC	Pressure Monitoring Line clear length-50 cm.
DR-50-PMR	Pressure Monitoring Line Red length-50 cm.
DR-50-PMB	Pressure Monitoring Line Blue length -50 cm.
DR-50-PMY	Pressure Monitoring Line Yellow length-50 cm.
DR-100-PMC	Pressure Monitoring Line Clear length-100 cm.
DR-100-PMR	Pressure Monitoring Line Red length-100 cm.
DR-100-PMB	Pressure Monitoring Line Blue length-100 cm.
DR-100-PMY	Pressure Monitoring Line Yellow length-100 cm.
DR-150-PMC	Pressure Monitoring Line Clear length-150 cm.
DR-150-PMR	Pressure Monitoring Line Red length-150 cm.
DR-150-PMB	Pressure Monitoring Line Blue length-150 cm.
DR-150-PMY	Pressure Monitoring Line Yellow length-150 cm.
DR-200-PMC	Pressure Monitoring Line Clear length-200 cm.
DR-200-PMR	Pressure Monitoring Line Red length-200 cm.
DR-200-PMB	Pressure Monitoring Line Blue length-200 cm.
DR-200-PMY	Pressure Monitoring Line Yellow length-200 cm.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



ANGIOGRAPHIC NEEDLE



CE 0476

Features

- Extremely low insertion forces increases accessibility and reduce tissue trauma.
- Tapered hub inner diameter facilitates insertion of the guide wire.

Order Information

Ref Number	Description
DR-IN18GSH	18G, Thin wall, 7cm, Standard hub
DR-IN18LH	18G, Thin wall, 7cm, Large hub

For Further Details Please Contact:


Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



CHEST DRAINAGE CATHETER



Dr. Surgical



CE 0476

Features

- Made from non-toxic medical grade P.V.C material.
- One loose connector is provided with tube for immediate connection of catheter with drainage set. Suitable for post-operative drainage after cardio-thoracic and thoracic surgery.
- Rounded open distal end with smooth eyes.
- Clearly marking on tube.
- One end fitted with tapered tongue for easy insertion.
- Sizes 12FG, 14FG, 16FG, 18FG, 20FG, 24FG, 28FG, 30FG, 32, 34FG, 36FG, 38FG, 40FG. Length 45cm.

Order Information

Ref Number	Description
DR-CDC-12 FG	Chest Drainage Catheter with connector.
DR-CDC-14 FG	Chest Drainage Catheter with connector.
DR-CDC-16FG	Chest Drainage Catheter with connector.
DR-CDC-18 FG	Chest Drainage Catheter with connector.
DR-CDC-20 FG	Chest Drainage Catheter with connector.
DR-CDC-22 FG	Chest Drainage Catheter with connector.
DR-CDC-24 FG	Chest Drainage Catheter with connector.
DR-CDC-26 FG	Chest Drainage Catheter with connector.
DR-CDC-28 FG	Chest Drainage Catheter with connector.
DR-CDC-30 FG	Chest Drainage Catheter with connector.
DR-CDC-32 FG	Chest Drainage Catheter with connector.
DR-CDC-34 FG	Chest Drainage Catheter with connector.
DR-CDC-36 FG	Chest Drainage Catheter with connector.
DR-CDC-38 FG	Chest Drainage Catheter with connector.
DR-CDC-40 FG	Chest Drainage Catheter with connector.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in



An ISO 9001:2000 Certified Company

CONTROL SYRINGE



Dr. Surgical



CE 0476

Features

- Rotating male luer provides convenient and fast connection.
- Transparent cylinder enhances visual efficiency of gauge mark and contrast.
- Special designed silicon piston head and lubricating technology lead the plunger easy to move in cylinder and high pressure resistance.
- Thumb and finger rings fulfill precise dose control.


Order Information

Ref Number	Description
DR-CS6	6ml Control Syringe with rotating connector with thumb Control.
DR-CS8	8ml Control Syringe with rotating connector with thumb Control.
DR-CS10	10ml Control Syringe with rotating connector with thumb Control.
DR-CS12	12ml Control Syringe with rotating connector with thumb Control.
DR-CS20	20ml Control Syringe with rotating connector with thumb Control.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in





CE 0476

Features


- Made of non-toxic medical grade material.
- All types of connectors are available, Sterile single packed and in bulk.
- Connectors made of medical grade, Polycarbonate.
- Smooth inside configuration.
- Parts which are tested according to the most strict international procedures with the best performances in materials and shapes.
- Custom pack specifications drawn by computer according to the specifications requested by the customer.
- Production in clean room.
- Customized sizes available on request.
- All types of tubing are available, sterile single packed and bulk.

Order Information

Ref Number	Description
DR-CUS-01	Custom Pack with arterial filter loop.
DR-CUS-02	Custom Pack without arterial filter.
DR-AR-03	Arterial filter loop.
DR-TUB-1/4?	Tubing 1/4" length -12 ft.
DR-TUB-3/8?	Tubing 3/8" length -12 ft.
DR-TUB-1/2?	Tubing 1/2" length -12 ft.
DR-CPC-12FR	Cardioplegia Cannula 12 FR.
DR-CPC-14FR	Cardioplegia Cannula 14 FR.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
 Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
 Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
 E-mail : info@drsurgical.co.in
 dr_surgical@yahoo.co.in
 Website : www.drsurgical.co.in



CE 0476

Features

- Dr. flow device with flow regulator are designed for gravity infusional every time that a constant and accurate IV flow Rate is required .
- It is real inexpensive. Alternative to fluid pump machines.
- Once set the rate , it remains constant monitor and readjust the control device.
- Installation, calibration and adjustment are very easy and can be performed in a few Minutes.
- It can be used in ICU and CCU, operating and recovery room, Anesthesia, Cancer Treatment, etc.


Order Information

Ref Number	Description
DR-FLR-01	Flow regulator with injection port & extension line .

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in

HEMOSTASIS Y-ADAPTOR & P.T.C.A ACCESSORY KIT



CE 0476

Features

- Dr. Surgical Y-Adaptors provides an easy-to-use hemostatic device for both diagnostic and interventional procedures.
- The Push-Pull Y-Adaptor prevents back-bleeding while the balloon catheter / guide wire is inserted into the guiding catheter and provides easy manipulation during placement while securing catheters position.
- The Push-Pull Y-Adaptor specially designed reduces the blood loss during interventional procedures.
- Large close knob makes twisting and valve closing very easy.
- Large bore suites for all sizes of angiographic catheters.

Order Information

Ref Number	Description
DR-HV9FK	9F Y adaptor, Insertion tool, Torque device.
DR-HV6FK	6F Y adaptor, Insertion tool, Torque device.
DR-HV9FS	9F Single Y adaptor.
DR-HV6FS	6F Single Y adaptor.
DR-PUHV9FS	9F Single Y adaptor pusph pull.
DR-PUHV6FS	6F Single Y adaptor pusph pull.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in





CE 0476

Features

- Rigid and non-braided PVC plus fixed male luer generates excellent cost-performance injection and monitoring lines.

1200 psi Pressure Line

- Rigid, non-braided and reinforced PVC produces excellent cost-performance injection line.
- Rotating male luer provides convenient and fast connection.
- Customize sizes are available.

Order Information

Ref Number	Description
DR-HPT-36 M-M	1200 psi, Male to Male, 91cm (36 inch).
DR-HPT-36	1200 psi, Male to Female, 91cm (36 inch).
DR-HPT-48 M-M	1200 psi, Male to Male Rotating Male luer, 120 cm (48 inch).
DR-HPT-48	1200 psi, Male to Female, Rotating Male luer, 120 cm(48 inch).

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in

YANKUR SUCTION SET



CE 0476

Features

- Suitable for removal of secretion, blood, etc.
- Complete set is provided with the suction tip mounted on two meter long tube.
- Ribbed soft medical grade P.V.C tubing.
- Smooth flow in tube .


Order Information

Ref Number	Description
DR-YSS- 20 FG	Yankur suction set with two meter tubing .
DR-YSS- 22 FG	Yankur suction set with two meter tubing .
DR-YSS- 24 FG	Yankur suction set with two meter tubing .
DR-YSS- 26 FG	Yankur suction set with two meter tubing.

For Further Details Please Contact:

Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
E-mail : info@drsurgical.co.in
dr_surgical@yahoo.co.in
Website : www.drsurgical.co.in





Dr. Closer Band



Respiratory Circuit



Angio Closer Pad

Order Information

CE 0476

Ref Number	Description
DR-CB 01	Dr. Closer Band
DR-RC 01	Respiratory Circuit
DR-ACP 01	Angio Closer Pad

For Further Details Please Contact:


Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
 Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
 Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
 E-mail : info@drsurgical.co.in
 dr_surgical@yahoo.co.in
 Website : www.drsurgical.co.in



Cautery Pencil



Close Wound Suction
Sizes : FG - 10, 12, 14, 16, 18



Chest Drainage Bottle

Order Information

CE 0476

Ref Number	Description
DR-CW 10-18	Close Wound Suction (Dr. Vac)
DR-CP 01	Cautery Pencil
DR-CDB-500ML	Chest Drainage Bottle 500ml
DR-CDB-1000ML	Chest Drainage Bottle 1000ml

For Further Details Please Contact:


Head Off : B-8&9, Aditiya Commercial Complex, Nangal Raya, New Delhi-110046
 Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254
 Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)
 E-mail : info@drsurgical.co.in
 dr_surgical@yahoo.co.in
 Website : www.drsurgical.co.in



CE 0476



Medical devices assembled in class 10,000 Clean Room



Dr. Surgical

For further Details Contact us :

Head Off : B-8&9, Aditya Commercial Complex, Nangal Raya, New Delhi-110046

Mobile : +91-9899714981, 9811814981, Telefax : +91-11-28525254

Factory : J-1024, I.I.D Khushkhera Industrial Area, Bhiwadi, Alwar, Rajasthan (INDIA)

E-mail : info@drsurgical.co.in

dr_surgical@yahoo.co.in

Website : www.drsurgical.co.in